

MAN

## PK 1650 TEC

## TGS 35.540 8X2H-6 BL CH

KONTRAKTNUMMER: PALDRIVE 729

NY

PÅ ANMODNING



### SPECIFIKATION

**MAN + PK 58.002 TEC 7 +  
PALFINGER Installation**

**Available from week 36/2023**

**All pictures taken from a reference project**


#### Crane: PK 58.002 TEC7

- Hydraulic 7-fold extension
- High-speed extension system with return oil recovery
- Swivel range endless
- Hydraulic support leg extension (max. support width 7.800 mm)
- Additional hydraulic support (support width ca. 4.400 mm)
- Support legs can be swiveled hydraulically through 180 °

paldrivesheet.Zwischenverkauf und Änderungen vorbehalten!

### TILBUDSINFORMATION

Lokationsdetaljer

PALFINGER, 86-050 - Polen 

Forhandler, detaljer

Palfinger EMEA GmbH PL 

Tilgængelighed

På anmodning

Produkttype

Ny

Kontraktnummer

Paldrive 729

Forhandler, e-mail

[sales@palfinger.com](mailto:sales@palfinger.com)

Forhandler, telefon

**004366488345792**

Udskrivelsesdato: 5. apr. 2026, 07.28.45

- Paltronic 150
- HPSC + LOAD
- PALCOM P7 radio remote control/ 8 functions  
with linear levers
- Painting RAL3020
- Working lights on the articulated arm and on the  
fly-Jib
- Hose equipment for two additional devices  
including quick coupling  
(multi-faster)
- 3,5t- cable winch on the main arm (hydr.  
foldable), cable length: 90m
- Synchron control rope winch (SRC)
- 11 to/25 to load hook

**Accessory: PJ150E (additional knuckle arm)**

- Hydraulic 6-fold extension
- Can be folded upwards hydraulically by 25 °
- Applications with additional devices possible  
(e.g. gripper, rotator ...)  
including quick coupling (multi-faster)

**Platform:**

- Inner dimensions: 2480 x 6300 mm
- Front wall: height 1600 mm
- Side- and rearwalls height: 400 mm
- Platform floor 27 mm plywood, impregnated  
and sealed

**Chassis: MAN TGS 35.510 8x4H-6 BL**

paldrivesheet.Zwischenverkauf und Änderungen  
vorbehalten!

Udskrivelsesdato: 5. apr. 2026, 07.28.45

- 
- 510PS , max. 2.600Nm
  - Automatic drive, MAN TipMatic 12.28 OD
  - Leaf suspension on front axles, air suspension on rear axles
  - Fuel tank 390l / AD-Blue tank 35l
  - Tyres rear axle 315/65R22,5
  - Tyres front axle 385/65R22.5
  - Cabin colour: RAL 9016 traffic white / chassis colour: RAL9011  
graphite black

|                         |                                   |                                   |                   |
|-------------------------|-----------------------------------|-----------------------------------|-------------------|
| <b>Producent</b>        | Palfinger                         | <b>Løftemoment</b>                | 124,8 mt          |
| <b>Model</b>            | PK 1650 TEC                       | <b>Rækkevidde /<br/>Løfteevne</b> | 31,1 m / 1.600 kg |
| <b>Lastbilproducent</b> | MAN                               | <b>Aksler</b>                     | 8x2*6             |
| <b>Førerhus</b>         | TM                                | <b>Totalvægt</b>                  | 32.000 kg         |
| <b>Akselafstand</b>     | 1.795 mm + 2.980 mm<br>+ 1.350 mm | <b>Egenvægt</b>                   | 31.200 kg         |
| <b>Hestekræfter</b>     | 540 HP                            | <b>Nyttelast</b>                  | 800 kg            |
| <b>Emissionsnorm</b>    | EURO 6                            | <b>Nyttelast, kategori</b>        | <6t               |
|                         |                                   | <b>Opbygning</b>                  | Heavy duty-kran   |