

MAN

EPSILON S300L98 TGX 640 6X4

NEUWAGEN

VERFÜGBAR



GERÄTEAUSSTATTUNG

PALFORET

MAN TGX 640 6X4

- **Off-road category**
- **Front/Rear Axle Load (kg):** 10000 / 21000
- **Rear pneumatic suspensions**
- **Cabin:** GM
- **Exhaust:** In the track
- **Wheelbase (mm):** 3900 + 1400
- **Fuel tank capacity:** 445L
- **AdBlue tank capacity:** 80L


TECHNICAL SPECIFICATIONS

EPSILON S300L98 Crane

- Reach at 9.80m, double telescopic
- Column seat with protective canopy
- Comfort pack (heated seat, engine start/stop, acceleration +/-)
- Log combs
- Distributor protective cover

INFORMATIONEN ZUM ANGEBOT

Montage- & Besichtigungsstandort

France, 26250 - Frankreich 

Verkaufsabwicklung und Auslieferung durch Händler:

Palfinger France



Verfügbarkeit

Verfügbar

Produktzustand

Neuwagen

E-Mail

loic.baritussio@palfinger.fr

Telefonnummer

0033628767400

- 4 work lights 3000 lumen
- Rotating couplings at the base of the crane
- Hultdins SG520S Grapple

FLEXMAX Faymonville Trailer

- Rear trailer with 3-axle Flex-Z
- 1st axle mounted on ball circle with hydromechanical steering
- 2nd and 3rd fixed axles
- BPW axles
- Centralized lubrication
- 30T turret on front and rear chassis

Metallization

- Extensions on front and rear chassis

ACCESSORIES

- Cabin guard with grapple support + 6 work lights
- Side protections in steel (tanks / battery box)
- 2 overhanging rear boxes with chainsaw guide
- 2 telescopic supports for snow chains
- Aluminum hydraulic tank behind the cabin
- Double capacity cooler 30KW
- Storage box behind the cabin
- 6 work lights (side, rear, and on chassis)
- Shovel / broom support

PRODUCT

Hersteller	Palfinger	Reichweite / Tragkraft	9,80 m
Gerätetyp	Epsilon S300L98	Aufbau	front

FAHRZEUG

LKW Hersteller	MAN	Leistung	640 PS
Fahrzeugtyp	TGX 640 6x4	Schadstoffklasse	EURO 6e
Fahrerhaus	GM	Achsen	6x4
Radstand	3900 + 1400 mm	Nutzlast Kategorie	6t - 15t

Grumier MAN



VINCENT

PALFINGER

PALFORET



MAN TGX 640 6X4

- Off-road category
- Front/Rear Axle Load (kg) : 10000 / 21000
- Rear pneumatic suspensions
- Cabin : GM
- Exhaust : In the track
- Wheelbase (mm) : 3900 + 1400
- Fuel Tank Capacity : 445L
- AdBlue Tank Capacity : 80L

TECHNICAL SPECIFICATIONS

EPSILON S300L98 Crane

- Reach at 9.80m, double telescopic
- Column-mounted seat with protective cover
- Comfort pack (heated seat, engine start/stop, acceleration +/-)
- Log combs
- Distributor protective cover
- 4 work lights 3000 lumen
- Rotating couplings at the base of the crane
- Grapple Hultdins SG520S



FLEXMAX Faymonville Trailer

- Rear trailer with 3-axle Flex-Z
- 1st axle mounted on a ball circle with hydromechanical steering
- 2nd and 3rd fixed axles
- BPW axles
- Centralized lubrication
- 30T turret on front and rear chassis



Metallization

- Extensions on front and rear chassis

ACCESSORIES

- Cabin guard with grapple support + 6 work lights
- Side protections in steel (tanks / battery compartment)
- 2 rear overhang compartments with chainsaw guide
- 2 telescopic supports for snow chains
- Aluminum hydraulic tank behind the cabin
- Double capacity cooler 30KW
- Storage compartment behind the cabin
- 6 work lights (side, rear, and on chassis)
- Shovel / broom support

