

P 160 A KIT


NEW**AVAILABLE**

SPECIFICATION

- RAL 9016
- Aluminium basket
- Turntable support
- Accessories box
- Fittings for safety belts on basket
- Engine on/off control from the basket
- Manual emergency descent controls
- Electric hour meter
- Spirit level
- Outrigger/boom interlock
- Air/water supply to the basket
- Emergency hand pump
- 230 V or 110 V / 16 A socket on the basket
- Test button for signal lights on panels
- Emergency stop buttons
- Basket rotation 90°+90° (not available for 130 A and P 160A)
- Flanged lock valves on all cylinders
- Max. pressure valves on hydraulic system
- Moment limiter (P140T/P170T/P200T/P240A)
- Accessories box

OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger SRL

Availability

Available

Product type

New

Contact person

Palfinger SRL

Dealer E-mail

info@palfingerplatformsitaly.it

Dealer phone

059252426





PRODUCT

Manufacturer	PALFINGER	Turret rotation	260°
Model	P 160 A KIT	Basket size	1,4x0,7x1,1 m
Construction year	2021	Basket capacity	250 kg
Outreach	6,3 m	Basket turning device	90°+90°
Max. height of work	16,0 m	Basket material	alu

P 160 A LOW SMART

KIT





16,00 m



6,30 m con rotazione cesto (opt)
 6,30 m Mit rotation des korbs (opt.)
 6,30 m with basket rotation (opt)
 6,30 m avec rotation nacelle (opt)
 6,30 m con rotación cesta (opt)



250 kg



1,4x0,7x1,1 m



Idraulici
 hydraulisch
 Hydraulic
 Hydrauliques
 Hidráulicos



90° + 90° optional
 90° + 90° optionnel
 90° + 90° opcional



260°



900 kg