

FORD

P 130 A

NEW RANGER GSR 2.0

AVAILABLE

DEMO




SPECIFICATION

STANDARD EQUIPMENT

- Fittings for safety belts on basket
- Engine on/off control from the basket
- Manual emergency descent controls
- Electric hour meter
- Planarity check device
- Double access to the basket from the ground
- Outrigger/boom interlock
- Air/water supply to the basket
- Outrigger resting plates with housing on platform floor
- Emergency hand pump
- 12V socket on the basket
- 230 V or 110 V / 16 A socket on the basket
- Test button for signal lights on panels
- Emergency stop buttons
- Magnetic rotating lamp for the vehicle's cab

OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger SRL

Availability

Available

Contact person

Palfinger SRL

Dealer E-mail

info@palfingerplatformsitaly.it

Dealer phone

059252426

- System to signal rotation centering of machine in resting position with signal light and analogue signal
- Flanged lock valves on all cylinders
- Max. pressure valves on hydraulic system

CONFIGURATION OF THIS UNIT:

- Fiberglass basket
- Insulation 1000V
- Rotating cage
- Plastic toolboxes

PRODUCT

| | | | |
|--------------------------|-----------|----------------------------|------------|
| Manufacturer | PALFINGER | Max. height of work | 13,00 m |
| Model | P130 A | Turret rotation | 360° |
| Construction year | 2026 | Basket capacity | 200 kg |
| | | Basket material | Fiberglass |

TRUCK

| | | | |
|---------------------------|---------------------------|-----------------------------|---------|
| Truck manufacturer | FORD | Wheel base | 3270 |
| Vehicle type | FORD RANGER E6 3,5 TON | Emmission standard | EURO 6 |
| Drivers cabine | B | Axes | 4x4 |
| | | Gross vehicle weight | 3,5 TON |