

## P 160 A MITSUBISHI FUSO

NEW

IN PRODUCTION

SYMBOLFOTO



### SPECIFICATION


#### STANDARD EQUIPMENT

- Fittings for safety belts on basket
- Engine on/off control from the basket
- Manual emergency descent controls
- Electric hour meter
- Planarity check device
- Double access to the basket from the ground
- Outrigger/boom interlock
- Air/water supply to the basket
- Emergency hand pump
- 12 V socket on the basket
- 230 V or 110 V / 16 A socket on the basket
- Test button for signal lights on panels
- Emergency stop buttons
- Magnetic rotating lamp for the vehicle's cab
- Flanged lock valves on all cylinders
- Max. pressure valves on hydraulic system

CONFIGURATION:

### OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger SRL

Available from

30.05.2026

Product type

New

Contact person

Palfinger SRL

Dealer E-mail

[info@palfingerplatformsitaly.it](mailto:info@palfingerplatformsitaly.it)

Dealer phone

**059252426**

- 
- Aluminium cage
  - Foldable side bordering
  - Spreader plates
  - Ladder
  - RAL 9016

**PRODUCT**

|                            |           |                        |                  |
|----------------------------|-----------|------------------------|------------------|
| <b>Manufacturer</b>        | PALFINGER | <b>Turret rotation</b> | 360°             |
| <b>Construction year</b>   | 2026      | <b>Basket size</b>     | 1400X695X1120 MM |
| <b>Outreach</b>            | 6,25 m    | <b>Basket capacity</b> | 200 kg           |
| <b>Max. height of work</b> | 15,9 m    | <b>Basket material</b> | Aluminium        |

**TRUCK**

|                           |                             |                             |         |
|---------------------------|-----------------------------|-----------------------------|---------|
| <b>Truck manufacturer</b> | MITSUBISHI                  | <b>Wheel base</b>           | 2500    |
| <b>Vehicle type</b>       | MITSUBISHI FUSO<br>3S13 E6E | <b>Emmission standard</b>   | EURO 6  |
| <b>Drivers cabine</b>     | B                           | <b>Axes</b>                 | 4x2     |
|                           |                             | <b>Gross vehicle weight</b> | 3,5 TON |