

GSR

IVECO

## P 200 AXE-E SMART PLUS IVECO MY2024 GSR

NEW

IN PRODUCTION

SYMBOLFOTO



### SPECIFICATION

- Lightweight and compact double articulated aerial platform for working in confined spaces, installed on a 3.5 t lorry.


The double pantograph ensures great versatility and the ability to overcome obstacles at height.

- Multifunction electric controls for greater precision, speed and manoeuvring comfort
- Vertical stabilisation with extendable front crossbars to better compensate for uneven ground and slopes.
- Platform with three stabilisation options for all working conditions:
  - In profile: for maximum compactness in confined spaces.
  - With front crossbars extended: for maximum performance when working at height.
  - Partial stabilisation: for maximum performance with minimum space requirements.

STANDARD

### OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger srl

Available from

30.05.2026

Product type

New

Dealer E-mail

[sales-it@palfinger.com](mailto:sales-it@palfinger.com)

[v.dalcamo@palfinger.com](mailto:v.dalcamo@palfinger.com)

Dealer phone

**0039059252426**

## GSR

---

- Mechanical cab/boom anti-collision system
  - Hydraulically rotating basket 90° right + 90° left
  - Machine operating hour meter
  - Mouth-extension protection cap
  - Inclinometer with audible and visual alarm
- for aerial working conditions
- Air/water line from the column to the basket
  - Extended distribution plates to be placed under the stabilisers
- with relative housings on the platform
- 12V socket on the basket
  - 230V / 16A or 110V / 16A electrical socket in the basket
  - Cataphoresis painting, PALFINGER patented KTL system
  - Aerial part centring display for machine closure
  - Provision for insulation.

### **CONFIGURATION OF THIS UNIT:**

- Aluminium cage
- Home function
- Kit 4.0
- RAL 9016

## GSR

## PRODUCT

|                            |                        |                              |                      |
|----------------------------|------------------------|------------------------------|----------------------|
| <b>Manufacturer</b>        | PALFINGER              | <b>Turret rotation</b>       | 370°                 |
| <b>Model</b>               | P 200 AXE-E Smart Plus | <b>Basket size</b>           | 1.4 x 0.84 x h 1.1 m |
| <b>Construction year</b>   | 2026                   | <b>Basket capacity</b>       | 250 kg               |
| <b>Outreach</b>            | 8,20 m                 | <b>Basket turning device</b> | 90+90                |
| <b>Max. height of work</b> | 19,7                   | <b>Basket material</b>       | Aluminium            |

## TRUCK

|                           |                  |                             |          |
|---------------------------|------------------|-----------------------------|----------|
| <b>Truck manufacturer</b> | IVECO            | <b>Emmission standard</b>   | EURO 6 E |
| <b>Vehicle type</b>       | IVECO MY2024 GSR | <b>Axes</b>                 | 4x2      |
| <b>Wheel base</b>         | 3450             | <b>Gross vehicle weight</b> | 3500 Kg  |