

IVECO

**P200A-R**

IVECO MY2024 GSR


SYMBOLFOTO

IN PRODUCTION



## OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger SRL

Available from

30.04.2026

Contact person

Palfinger SRL

Dealer E-mail

[info@palfingerplatformsitaly.it](mailto:info@palfingerplatformsitaly.it)

Dealer phone

**059252426**

## SPECIFICATION

Lightweight and compact double articulated aerial platform for working in confined spaces, installed on a 3.5 t lorry. The double pantograph ensures great versatility and the ability to overcome obstacles at height.

- Easy-to-use hydraulic controls
- Single stabilisation for quick positioning
- Palfinger-certified KTL cathaphoresis treatment of all metalwork

## STANDARD

- Mechanical collision protection between cab and boom
- Aerial centring display for machine closure
- Hydraulically rotating basket 90° right + 90° left
- Machine operating hour meter
- Mouth-extension protection cap

Prior sale and changes reserved!

Print date: Apr 5, 2026, 5:50:59 AM

- Air/water line from the column to the basket
- Enlarged distribution plates to be placed under the stabilisers with relative housings on the platform
- 12V socket on the basket
- 230V/16A or 110V/16A electrical socket in the basket
- Cataphoresis coating, PALFINGER patented KTL system

## MAIN ACCESSORIES

- Plastic storage box under the floor
- Side frame fairings
- Fibreglass basket to replace the standard aluminium one
- 12V electric pump for emergency descent
- 230V/16A or 110V/16A electric pump with quick couplings
- Inclinometer with audible and visual alarm for aerial working conditions
- 1000V insulation with fibreglass basket
- Fixed lamp holder in turret
- Arm extension protection brushes
- 200 mm high folding side rails on 2 sides

## CONFIGURATION OF THIS UNIT:

- Aluminium cage
- RAL 9016

**PRODUCT**

<b>Manufacturer</b>	PALFINGER	<b>Max. height of work</b>	19,6m
<b>Model</b>	P 200A-R	<b>Turret rotation</b>	360°
<b>Construction year</b>	2026	<b>Basket capacity</b>	230 Kg
		<b>Basket material</b>	Aluminium

**TRUCK**

<b>Truck manufacturer</b>	IVECO	<b>Wheel base</b>	3450
<b>Vehicle type</b>	IVECO MY2024 GSR	<b>Emmission standard</b>	EURO 6
<b>Construction year</b>	2026	<b>Axes</b>	4x2
<b>Drivers cabine</b>	B	<b>Gross vehicle weight</b>	3,5 TON