

IVECO

## P 240 AXE- E SMART PLUS IVECO 35 S 14 MY2024 GSR

NEW

AVAILABLE

SYMBOLFOTO




### SPECIFICATION

- Lightweight and compact double articulated aerial platform for work in tight spaces, mounted on a 3.5 t truck.
- The double pantograph unit guarantees great versatility and the ability to move over in elevated positions.
- Multifunction electric controls for greater precision, speed, and manoeuvring comfort
- Vertical stabilisation with frontwards extending outriggers which compensate for uneven and sloping ground
- Platform with three stabilisation options for all working conditions:
  1. Within the outer vehicle limits: for maximum compactness overall within small spaces
  2. With front crossmembers extended: for maximum performance when working in elevated positions

### OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger srl

Availability

Available

Product type

New

Dealer E-mail

[sales-it@palfinger.com](mailto:sales-it@palfinger.com)

[v.dalcamo@palfinger.com](mailto:v.dalcamo@palfinger.com)

Dealer phone

**0039059252426**

## MY2024 GSR

---

3. Partial stabilisation: for maximum performance with minimum overall dimensions.

### STANDARD

- 12V socket on basket
- 230V / 16 socket A or 110V / 16A 12V socket on basket
- 40 l diesel tank
- Aerial section centring display for aerial part closing
- Air/water line from the column to the basket
- Anti-collision system cab/boom
- Cage rotation 90°+ 90°
- Hour meter
- Inclinator with audio alarm signal and signal lights relating to aerial work conditions
- Painting with cathodisation process, with KTL system patented by PALFINGER
- Preparation for insulation upgrade ability
- Set of 4 spreader plates with proper housing on the chassis
- Top boom protection.

### CONFIGURATION OF THIS UNIT:

- Aluminium cage
- Home function
- RAL 9016

**PRODUCT**

|                            |                        |                              |                       |
|----------------------------|------------------------|------------------------------|-----------------------|
| <b>Manufacturer</b>        | PALFINGER              | <b>Turret rotation</b>       | 370°                  |
| <b>Model</b>               | P 240 AXE-E Smart Plus | <b>Basket size</b>           | 1.4 x 0.84 x h 1.12 m |
| <b>Construction year</b>   | 2026                   | <b>Basket capacity</b>       | 250 kg                |
| <b>Outreach</b>            | 11,60 m                | <b>Basket turning device</b> | 90+90                 |
| <b>Max. height of work</b> | 22,9 m                 | <b>Basket material</b>       | Aluminium             |

**TRUCK**

|                           |                  |                             |         |
|---------------------------|------------------|-----------------------------|---------|
| <b>Truck manufacturer</b> | IVECO            | <b>Wheel base</b>           | 3450 mm |
| <b>Vehicle type</b>       | IVECO MY2024 GSR | <b>Emmission standard</b>   | EURO 6  |
| <b>Construction year</b>  | 2026             | <b>Axes</b>                 | 4x2     |
|                           |                  | <b>Gross vehicle weight</b> | 3500 Kg |