

SCANIA

**PK 580 TEC**

**R 500 B8X2/\*6NB**

CONTRACT NUMBER: PALDRIVE 613


NEW

AVAILABLE



**OFFER INFORMATION**

Location details

Lengau, 5211 - Austria 

Dealer Name

Palfinger EMEA GmbH AT 

Availability

Available

Product type

New

Contract number

Paldrive 613

Dealer E-mail

[sales@palfinger.com](mailto:sales@palfinger.com)

Dealer phone

**004366488345792**

**SPECIFICATION**



PK 580 TEC

**lifting moment** 55,5 mt  
**lifting capacity** 390 kg/ 31,4 m  
**Max. outreach incl. fly-jib** 31,4 m  
**swivel range** endless



MCC-INSTALLATION

**Flatbed**

**Platform length** 6300 mm  
**Platform width** 2480 mm  
**Frontwall height** 2400 mm  
**Side- and rearwall height** 400 mm  
**loading height** 1240 mm



SCANIA R 500 B8X2/\*6NB

**engine power** 500 HP

**wheelbase** 4800/ 1350/ 1350 mm

**cabin** CR20N

**gearbox** G33CM incl. Opticruise

**PRODUCT**

<b>Manufacturer</b>	Palfinger	<b>Outreach / Lifting power</b>	31,4 m/ 390 kg
<b>Model</b>	PK 580 TEC + PJ 150	<b>Max outreach</b>	31,4 m
<b>Lifting moment</b>	55,5 mt		

**TRUCK**

<b>Truck manufacturer</b>	Scania	<b>Gross vehicle weight</b>	32.000 kg
<b>Drivers cabine</b>	CR20N	<b>Dead weight</b>	23.600 kg
<b>Wheel base</b>	4800 + 1350 +1350 mm	<b>Payload</b>	8.400 kg
<b>Power</b>	500 PS	<b>Payload category</b>	6t - 15t
<b>Emmission standard</b>	EURO 6e	<b>Construction</b>	Crane and platform
<b>Axes</b>	8x2		

## PK580 TEC

### HYDRAULIC & TECHNICS

- Hydraulic 7-fold extension
- High-speed extension system with return oil recovery
- Endless swivel range
- Hydraulic support leg extension (max.support width 7800 mm)
- Additional hydraulic support (max.support width 7100 mm)
- Support legs can be swiveled hydraulically through 180 °

### ASSISTANCE SYSTEMS

- Paltronic 180
- HPSC Plus LOAD
- BRA Boom Release Assistant/ 3-3-3 cross levers
- Scanreco P6 radio remote control

### EQUIPMENT

- incl. fly-jib PJ150E
- working lights on the articulated arm and on the fly-jib
- Hose equipment for two additional devices + quick coupling (Multifaster)
- 3.5t cable winch on the main arm (hydraulically foldable), Cable length: 90m
- Automatic rope tensioning device (RTC) and rope winch synchronous control (SRC)
- 11.5to and 18to load hooks
- colour RAL3020

## SCANIA R 500 B8X2/\*6NB

### SPECIFICATIONS

- 500 HP, max. 2,650 Nm

## PJ150-E (ADDITIONAL KNUCKLE ARM)

- Hydraulic 6-fold extension
- Can be folded upwards by 25 ° hydraulically
- Applications with additional devices possible (e.g. gripper, rotator ...) + quick coupling (multifaster)

- Gearbox G33CM incl. Opticruise
- suspension front/ rear: air/ air
- Fuel tank 200l / AD-Blue 105l
- Tires 1st, 2nd, 4th axle 385/55R22,5
- Tyres driven axle 315/70R22.5
- Cabin color: Ebony Black / chassis color: Sub Grey
- Ringfeder towbar type 40 G 150A

## SERVICE CRANE TECHNICAL DETAILS

