

## 2021 ILF 33

STOCK NUMBER: 4 AVAILABLE

NEW

AVAILABLE

IMMEDIATE DELIVERY




## DESCRIPTION

With the turn of a button, the ILF practically self-closes! Our unique four-cylinder folding tilt allows for a level ride platform regardless of terrain. It compensates for uphill or downhill loading situations and offers one of the largest platforms in the class.

The ILF series incorporates an unrivaled level of automation by design in its class. Most of the folding operation is done by turning a switch and letting the electro-hydraulics do the work. The operator is left to manually fold the torsion-assisted tip section, which requires the minimum effort of folding force, and to pull out and push in a near vertical platform when using the lift.

## OFFER INFORMATION

Location details

15939 Piuma Ave | Cerritos | CA, 90703 - United States 

Dealer Name



Availability

Available

Product type

New

Stock number

4 Available

Contact person

Brant Hickman

Dealer E-mail

b.hickman@palfinger.com

Dealer phone

1-213-200-2709

\$ 4,900

**LIFTGATE**

<b>Lifting Capacity</b>	3,300 lbs	<b>Bed Height</b>	48" - 60"
<b>Platform Length</b>	63 inch	<b>Approx. Weight</b>	1,000 lbs
<b>Platform Width</b>	86 inch	<b>Mount Clearance</b>	31" - 37"

## ILF 33

MBB PALFINGER liftgates are built with oversized components for great reliability. Our standard hydraulic cylinder locks provide added stability, better user control, and improved operator safety.

The 4-cylinder design can accommodate a fixed receiver hitch. The platform rotates on an adjustable roller to adapt to different bed heights, making operation easier.

The thermo-protected PowerPack and the centrally located circuit board are fully enclosed in the mount tube for fast installations and slide out for easy inspection. By using oversized, thermo-protected quality components, we minimize maintenance and downtime.

### HEAVY DUTY CONSTRUCTION


- Bushings and zerks at all pivot points  
High-quality components
- Heat-treated pins
- Fixed 3-piece rear impact guard
- Thermo-protected powerpack:
  - Inside mount frame
  - Decreases maintenance costs
  - Increases the life of components

### BUILT-IN STANDARD/ SAFETY FEATURES

- True level ride
- Easy operation:
  - Adjustable roller and platform tip torsion assist
  - Hydraulic-assisted platform opening and closing
- 4 Cylinder stability and safety

## STANDARD FEATURES

- Hydraulic cylinder locks
- Cab shut-off switch
- 150 Amp resettable breaker
- Bushings & grease zerks at all pins
- Pre-filled thermo-protected power pack
- Pre-assembled frame and platform
- Pre-assembled 3-piece rear impact guard  
Snubber kit
- Level ride platform with flush hinges
- Full aluminum platform
- Dual platform torsion assist, main and tip section handheld remote
- Walk ramp application (without lowering platform) Auto leveling, hydraulic close assist
- Low voltage/high amp thermo protection
- Self-diagnostic LED system display on PC board
- Cart stops, dual, spring-loaded (reduces platform space 8" ahead of c/s)



- Cab shut-off switch
- Hydraulic cylinder locks on cylinder ports
- Hand-held remote

## OPTIONS

- Dock bumpers - 2 step 28" w/ bolts and ext tubes
- Dock bumpers - 2 step 28", 1/4" HD trailer version w/ bolts and ext tubes
- 4 Way wireless remote control 70-1115-000
- Dual toggle switch controls for corner post
- Nylon dock bumpers, 16"
- Rubber dock bumpers, 24"
- Foot controls in platform 293
- Frameless trailer subframe 299
- Rear impact guard for trailer