

P 160 A MITSUBISHI FUSO

NEW

IN PRODUCTION

SYMBOLFOTO



SPECIFICATION


STANDARD EQUIPMENT

- Fittings for safety belts on basket
- Engine on/off control from the basket
- Manual emergency descent controls
- Electric hour meter
- Planarity check device
- Double access to the basket from the ground
- Outrigger/boom interlock
- Air/water supply to the basket
- Emergency hand pump
- 12 V socket on the basket
- 230 V or 110 V / 16 A socket on the basket
- Test button for signal lights on panels
- Emergency stop buttons
- Magnetic rotating lamp for the vehicle's cab
- Flanged lock valves on all cylinders
- Max. pressure valves on hydraulic system

CONFIGURATION:

OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger SRL

Available from

30.05.2026

Product type

New

Contact person

Palfinger SRL

Dealer E-mail

info@palfingerplatformsitaly.it

Dealer phone

059252426

-
- Aluminium cage
 - Foldable side bordering
 - Spreader plates
 - Ladder
 - RAL 9016

PRODUCT

Manufacturer	PALFINGER	Turret rotation	360°
Construction year	2026	Basket size	1400X695X1120 MM
Outreach	6,25 m	Basket capacity	200 kg
Max. height of work	15,9 m	Basket material	Aluminium

TRUCK

Truck manufacturer	MITSUBISHI	Wheel base	2500
Vehicle type	MITSUBISHI FUSO 3S13 E6E	Emmission standard	EURO 6
Drivers cabine	B	Axes	4x2
		Gross vehicle weight	3,5 TON