

IVECO

## P 170 TXE-E SMART PLUS DAILY 35 EURO 6 E

NEW

SYMBOLFOTO

IN PRODUCTION



### SPECIFICATION


- Multifunction electric controls for greater precision, speed, and manoeuvring comfort
- Vertical stabilisation with frontwards extending outriggers which compensate for uneven and sloping ground
- Platform with three stabilisation possibilities for each working condition:

1. Within the outer vehicle limits: for maximum compactness overall within small spaces
2. With front outriggers extended: for maximum performance when working in elevated positions
3. Partial stabilisation: for maximum performance with minimum overall dimensions.

- 12V socket on basket

### OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger srl

Available from

31.05.2026

Product type

New

Dealer E-mail

[sales-it@palfinger.com](mailto:sales-it@palfinger.com)

[v.dalcamo@palfinger.com](mailto:v.dalcamo@palfinger.com)

Dealer phone

**0039059252426**

## EURO 6 E

---

- 230 V/16 socket A or 110V/16A 12V socket on basket
- Aerial section centring display for aerial part closing
- Air/water line from the column to the basket
- Anti-collision system cab/boom
- Painting with cataphoresis process, with KTL system patented by PALFINGER
- 4 spreader plates with proper housing on the chassis
- Top boom protection
- Electric hour meter
- Cage rotation 90°+ 90°
- Inclinator with audio alarm signal and signal lights relating to aerial work conditions
- Preparation for insulation upgrade ability

### CONFIGURATION OF THIS UNIT:

- Aluminium cage
- Home function
- RAL 9016

**PRODUCT**

<b>Manufacturer</b>	PALFINGER	<b>Turret rotation</b>	370°
<b>Model</b>	P 170 TXE-E SMART PLUS	<b>Basket size</b>	1,4x0,84x1,1 m
<b>Construction year</b>	2026	<b>Basket capacity</b>	250 kg
<b>Outreach</b>	11,80 m	<b>Basket turning device</b>	90°+90°
<b>Max. height of work</b>	16,9 m	<b>Basket material</b>	Aluminium

**TRUCK**

<b>Truck manufacturer</b>	IVECO	<b>Wheel base</b>	4100 mm
<b>Vehicle type</b>	IVECO MY2024 GSR	<b>Emmission standard</b>	EURO 6 E
<b>Construction year</b>	2026	<b>Axes</b>	4x2
		<b>Gross vehicle weight</b>	3,5 TON