

MAN


PK 880 TEC

TGS 35.520 8X2H-6 BL CH

NÚMERO DE REFERENCIA: PALDRIVE 660

NUEVO

EN PRODUCCIÓN



INFORMACIÓN DEL PRODUCTO

Información del lugar

PALFINGER, 86-050 - Polonia

Vendedor

Palfinger EMEA GmbH PL



Tipo de Producto

Nuevo

Número de Referencia

Paldrive 660

Email

sales@palfinger.com

Teléfonos de Contacto

004366488345792

ESPECIFICACIONES DEL PRODUCTO

**MAN + PK 58.002 TEC 7 +
PALFINGER Installation**

Available from week 36/2023

All pictures taken from a reference project

Crane: PK 58.002 TEC7

- Hydraulic 7-fold extension
- High-speed extension system with return oil recovery
- Swivel range endless
- Hydraulic support leg extension (max. support width 7.800 mm)
- Additional hydraulic support (support width ca. 4.400 mm)
- Support legs can be swiveled hydraulically through 180 °

*Sujeto a venta previa y cambios.

Fecha de Impresión: 5 abr 2026, 8:06:08

- Paltronic 150
- HPSC + LOAD
- PALCOM P7 radio remote control/ 8 functions
with linear levers
- Painting RAL3020
- Working lights on the articulated arm and on the
fly-Jib
- Hose equipment for two additional devices
including quick coupling
(multi-faster)
- 3,5t- cable winch on the main arm (hydr.
foldable), cable length: 90m
- Synchron control rope winch (SRC)
- 11 to/25 to load hook

Accessory: PJ150E (additional knuckle arm)

- Hydraulic 6-fold extension
- Can be folded upwards hydraulically by 25 °
- Applications with additional devices possible
(e.g. gripper, rotator ...)
including quick coupling (multi-faster)

Platform:

- Inner dimensions: 2480 x 6300 mm
- Front wall: height 1600 mm
- Side- and rearwalls height: 400 mm
- Platform floor 27 mm plywood, impregnated
and sealed

Chassis: MAN TGS 35.510 8x4H-6 BL

*Sujeto a venta previa y cambios.

Fecha de Impresión: 5 abr 2026, 8:06:08

- 510PS , max. 2.600Nm
- Automatic drive, MAN TipMatic 12.28 OD
- Leaf suspension on front axles, air suspension on rear axles
- Fuel tank 390l / AD-Blue tank 35l
- Tyres rear axle 315/65R22,5
- Tyres front axle 385/65R22.5
- Cabin colour: RAL 9016 traffic white / chassis colour: RAL9011
graphite black

CARACTERÍSTICAS DE GRÚAS

| | | | |
|-------------------|------------|----------------------------------|----------------------|
| Fabricante | Palfinger | Momento de Elevación | 82,8 mt |
| Modelo | PK 880 TEC | Capacidad máxima de carga | 32,1 m / 1.010 kg |

CARACTERÍSTICAS DEL CAMIÓN

| | | | |
|-----------------------|-----------------------------------|-------------------------------|-------------------|
| Fabricante | MAN | Axes | 8x2*6 |
| Drivers cabine | TM | Masa Máxima Autorizada | 32.000 kg |
| DEE (mm) | 1.795 mm + 2.980 mm + 1.350 mm | Peso Propio | 25.900 kg |
| Power | 520 PS | Payload | 6.100 kg |
| Emisiones | EURO 6 | Accesorios | 6t - 15t |
| | | Componentes | Sattelzugmaschine |